


<u>Article Number</u> 9800-600

Discription

LED Grow Panel

Technical Specifications

Mounting	Adjustable Rope hanger
LED Power (W)	600W
PPFD	2087µ mol/S
Efficacy	2.7μ mol/J
ССТ (К)	Full Spectrum
Beam Angle (°)	120°
IP	65
Power Factor:	0,98
Input Voltage	AC110-220V
LED chip	Samsung LM301B
Driver: Mean Well	Include
Lifetime(Hr)	60000Hrs
Finishing: Alum. Power coating	White
Dimmable	Yes (option)
Weight	9kg
Warranty	5 years
Dimensions: LxBxH	720x600x53mm
Packing	1
12/2020	










Durable – Delightfull – LED

Alltronic bv Ringlaan 72 3630 Maasmechelen T +32 (0)89 51 43 55
E ledsmeet@alltronic.be
W www.alltronic.be

BTW/TVA BE0444.840.218 BNP Paribas fortis BE17 0011 8812 6021 BIC GEBABEBB





There are **3000K warm white** chip 136pcs which can **Boosts plants blooms, makes flower bigger and vivid**. **5000k cold white** chip 72pcs which can **Promote plants gemination, increases the growth rate of plants**. **660nm RED Light** 9pcs which **Yields more leaves and crops when combined with blue light**. **720nm IR Light** 1pcs which **Speeds up the phytochrome conversion, allows the plants to produce a greater yield**. All these design help plants grow better indoor. LED Grow Lights can also save more energy than HPS.

Also available in: 450W: 600x240x53mm 600W: 600X480x53mm

Durable – Delightfull – LED

Alltronic bv Ringlaan 72 3630 Maasmechelen T +32 (0)89 51 43 55 E ledsmeet@alltronic.be W www.alltronic.be BTW/TVA BE0444.840.218 BNP Paribas fortis BE17 0011 8812 6021 BIC GEBABEBB



Durable – Delightfull – LED

Alltronic bvT+32 (0)89 51 43 55BTW/TVABE0444.840.218Ringlaan 72Eledsmeet@alltronic.beBNP Paribas fortisBE17 0011 8812 60213630 MaasmechelenWwww.alltronic.beBICGEBABEBB